International Journal of Food Microbiology, 11 (1990) 363–366
Elsevier

Contents of Volume 11

Number 1, August 1990

Editorial note vi

M. Schmitt, U. Schuler-Schmid and W. Schmidt-Lorenz (Switzerland)
Temperature limits of growth, TNase and enterotoxin production of *Staphylococcus aureus* strains isolated from foods 1

M.L. Garcia-Arribas and J.M. Kramer (U.K.)
The effect of glucose, starch, and pH on growth, enterotoxin and haemolysin production by strains of *Bacillus cereus* associated with food poisoning and non-gastrointestinal infection 21

S. Notermans and K. Wernars (The Netherlands)
Evaluation and interpretation of data obtained with immunoassays and DNA–DNA hybridization techniques 35

T. Bischofberger, S.K. Cha, R. Schmitt, B. König and W. Schmidt-Lorenz (Switzerland)
The bacterial flora of non-carbonated, natural mineral water from the springs to reservoir and glass and plastic bottles 51

B. Ten Brink, C. Damink, H.M.L.J. Joosten and J.H.J. Huis in 't Veld (The Netherlands)
Occurrence and formation of biologically active amines in foods 73

N.K. Modi, S.A. Rose and H.S. Tranter (U.K.)
The effects of irradiation and temperature on the immunological activity of staphylococcal enterotoxin A 85

C. Spinedi and M. Gisin (Switzerland)
Standard plate counts of drinking water: a comparison between incubation temperatures of 20 and 30°C 93

Number 2, October 1990

Announcement ICFMH/IUMS 103

R.W.A. Park (U.K.)
Joint IUMS/ICFMH and UNESCO consultation on postgraduate teaching in advanced food microbiology with recommendation of a core curriculum 107

N. Skovgaard (Denmark)
The need for continuous training in food factories 119

K. Arihara, T. Toba and S. Adachi (Japan)
Immunofluorescence microscopic studies on distribution of *Lactobacillus kefiranofaciens* and *Lactobacillus kefir* in kefir grains 127

H.-J. Sinell, O. Pietzsch, H. Klingbeil and M. Benner (Germany)
Estimation of most probable number of *Salmonella* in retail samples of minced pork 135

A.H.G.P. Jayaratne, D.L. Collins-Thompson and J.T. Trevors (Canada)
Influence of freezing-thawing and refrigeration on R-plasmid (pRPJ24) stability in *Enterobacter cloacae* 94R 143

C.O. Gill, J.C.L. Harrison and N. Penney (New Zealand)
The storage life of chicken carcasses packaged under carbon dioxide 151

D.J. Best (Australia)
Optimal determination of most probable numbers 159

E.J. Rhodehamel and M.D. Pierson (U.S.A.)
Sodium hypophosphite inhibition of the growth of selected Gram-positive foodborne pathogenic bacteria 167

Short Communication

A.D. Borrás and R.V. Aguilar (Spain)
Biological control of *Penicillium digitatum* by *Trichoderma viride* on postharvest citrus fruits 179

Announcements 185

Number 3 + 4, December 1990

S. Ozcelik, N. Ozcelik and L.R. Beuchat (Turkey, U.S.A.)
Toxin production by *Alternaria alternata* in tomatoes and apples stored under various conditions and quantitation of the toxins by high-performance liquid chromatography 187

B.W. Blais and H. Yamazaki (Canada)
Use of polymyxin-coated polyester cloth in the enzyme immunoassay of *Salmonella* lipopolysaccharide antigens 195

L. Wimpfheimer, N.S. Altman and J.H. Hotchkiss (U.S.A.)
Growth of *Listeria monocytogenes* Scott A, serotype 4 and competitive spoilage organisms in raw chicken packaged under modified atmospheres and in air 205

H. Rohm, F. Lechner and M. Lehner (Austria)
Evaluation of the API ATB 32C system for the rapid identification of foodborne yeasts 215

W. Tham, G. Karp and M.-L. Danielsson-Tham (Sweden)
Histamine formation by enterococci in goat cheese 225

G. Sakaguchi, S. Sakaguchi, Y. Kamata, K. Tabita, T. Asao and S. Kozaki (Japan)
Distinct characters of *Clostridium botulinum* type **A** strains and their toxin associated with infant botulism in Japan 231

T.A. Likimani and J.N. Sofos (U.S.A.)
Bacterial spore injury during extrusion cooking of corn/soybean mixtures 243

S. Ewald, C.J. Heuvelman and S. Notermans (Norway, The Netherlands)
The use of DNA probes for confirming enterotoxin production by *Staphylococcus aureus* and micrococci 251

J.R. Husu, J.T. Beery, E. Nurmi and M.P. Doyle (Finland, U.S.A.)
Fate of *Listeria monocytogenes* in orally dosed chicks 259

M. Takahashi, S. Kameyama and G. Sakaguchi (Japan)
Assay in mice for low levels of *Clostridium botulinum* toxin 271

N. Bratchell, P.J. McClure, T.M. Kelly and T.A. Roberts (U.K.)
Predicting microbial growth: graphical methods for comparing models 279

H. Seiler and M. Busse (F.R.G.)
The yeasts of cheese brines 289

A.A.M. Zeitoun and J.M. Debevere (Egypt, Belgium)
The effect of treatment with buffered lactic acid on microbial decontamination and on shelf life of poultry 305

T. Toba, H. Nakajima, A. Tobitani and S. Adachi (Japan)
Scanning electron microscopic and texture studies on characteristic consistency of Nordic ropy sour milk 313

E. Franco, L. Toti, R. Gabrieli, L. Croci, D. De Medici and A. Panà (Italy)
Depuration of *Mytilus galloprovincialis* experimentally contaminated with hepatitis A virus 321

B.W. Blais and H. Yamazaki (Canada)
Use of detergents in the preparation of *Salmonella* samples for enzyme immunoassay on polymyxin-coated polyester cloth 329

G. Tunçel, M.J.R. Nout, L. Brimer and D. Göktan (Turkey, The Netherlands, Denmark)
Toxicological, nutritional and microbiological evaluation of tempe fermentation with *Rhizopus oligosporus* of bitter and sweet apricot seeds 337

Short Communications

A.E. George and P.N. Levett (U.K.)
Effect of temperature and pH on survival of *Listeria monocytogenes* in coleslaw 345

G.C. Turtura, S. Massa and H. Ghazvinizadeh (Italy)
Antibiotic resistance among coliform bacteria isolated from carcasses of commercially slaughtered chickens 351

Announcement 355

Author Index 357

Subject Index 361

Contents of Volume 11 363